



# Certificate of Conformity

**Certificate No.:** 2088AP120098001  
**Product:** MPPT Solar Hybrid Inverter  
**Brand Name:** N/A  
**Test Model No.:** INFINISOLAR 15KW  
**Applicant:** VOLTRONIC POWER TECHNOLOGY CORP.  
No.406, Xinhu 1st Rd., Neihu Dist., Taipei, Taiwan.  
**Report No.:** PVZA2012WDG0098

## Use in accordance with regulations:

Automatic disconnection device with three-phase mains surveillance in accordance with IEC 61727:2004 for photovoltaic systems with a three-phase parallel coupling via an inverter in the public mains supply. The automatic disconnection device is an integral part of the aforementioned inverters.

## Applied rules and standards

### NRS 097-2-1:2017 ed2.1

Grid interconnection of embedded generation

Part 2: Small-scale embedded generation

Section 1: Utility interface

### IEC 61727:2004 ed2.0

Photovoltaic (PV) systems –Characteristics of the utility interface

### IEC 62116:2014 ed2.0

Utility-interconnected photovoltaic inverters - Test procedure of islanding prevention measures

### DIN V VDE V 0126-1-1:2006-02 (Functional safety)

Automatic disconnection device between a generator and a public low voltage grid



**Name: James Huang**  
**Technical Manager/ New Energy Team**  
**Date: 2021-01-04**

This document shall not be reproduced, except in full, without the written approval of Bureau Veritas Shenzhen Co., Ltd. Dongguan Branch.  
Information given in this document is related to the tested specimen of the described electrical sample.