





sun | powerpack classic

Battery storage system for energy saving

Typical applications:

- Energy storage system for photovoltaic systems from 3kWp
- Engery supply in case of power failures*
- Energy storage for off-grid power supplies

Your benefits:

- Increase economic of your PV-systems by optimization of grid purchase costs
- Uninterrupted service with autonomous power supply even in case of power failure*
- Simple handling & operation components ready for connection
- Highest reliability the used components are approved in industrial applications
- Highest flexibility can be combined with various battery inverters
- Reduction of annual grid purchase



Type overview **sun | powerpack** classic

Capacities, dimensions and weights

	Energy content(C ₁₀) kWh	Nominal voltage V	Number of racks, Connection type	Length L mm	Width B mm	Height H mm	Weight kg
sun powerpack classic 5.5/24	5.5	24	1	829	385	567	195
sun powerpack classic 6.4/48	6.4	48	1	857	355	724	253
sun powerpack classic 8.0/24	8.0	24	1	829	385	767	295
sun powerpack classic 8.0/48	8.0	48	1	829	385	767	295
sun powerpack classic 11.0/24	11.0	24	1	829	385	899	370
sun powerpack classic 11.0/48	11.0	48	1	829	385	899	370
sun powerpack classic 16.0/48	16.0	48	2, parallel	829*	385	767	590
sun powerpack classic 22.0/48	22.0	48	2, parallel	829*	385	899	740

 $[\]ensuremath{^*}$ In parallel connection of 2 racks the dimensions have to be multiplied by 2.





Recommended usage of sun | powerpack classic

Battery size in kWh	sun powerpack 5.5	sun powerpack 6.4	sun powerpack 8.0	sun powerpack 11.0	sun powerpack 16.0	sun powerpack 22.0
Annual energy requirement	< 3,000 kWh	< 3,600 kWh	3,600 - 4,500 kWh	4,500 - 6,700 kWh	6,700 - 9,000 kWh	> 9,000 kWh
Minimum PV plant size	2.5 kWp	3 kWp	4 kWp	5.5 kWp	8 kWp	10 kWp

Design life: 10 years (at 20 °C)

 $\textbf{Cycle lifetime:}\ 2500\ \text{cycles at a depth of discharge of } 50\%\ \text{and a temperature of } 20\ ^\circ\text{C}$

Optimal environmental compatibility – closed loop for recovery of materials in an accredited recycling system

IEC 60896-21 IEC 61427

